
#### **1 – PRODUCT IDENTIFICATION**

	. Liquid Window Treatment . S4321XXX (Last 3 characters vary with the packaging)
CONTROL NUMBER:	. 54321XXX
COMPANY:	. Simoniz USA, Inc.
	201 Boston Turnpike
	Bolton, CT 06043
	1-800-227-5536
	www.simoniz.com
EMERGENCY PHONE:	. (800) 255-3924 (CHEM-TEL)
	2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: ..... Flammable Liquids (2) Skin Corrosion (1A) Serious Eye Damage (1) Carcinogenicity (1A)



#### **3 – COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENT Isopropyl Alcohol Polydimethylsiloxane Sulfuric Acid **C.A.S. NUMBER** 67-63-0 63148-62-9 7664-93-9

CONCENTRATION (%) 90-100 1-10 1

## 4 – FIRST-AID MEASURES

BREATHING (INHALATION):	. If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	• Flush eyes with a large quantity of fresh water for at least 15 minutes. Apply ice compresses and GET IMMEDIATE EMERGENCY MEDICAL ATTENTION by an eye specialist. It may be necessary to take victim to a hospital emergency room.
SKIN (DERMAL):	<ul> <li>Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.</li> </ul>

## **5 – FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:......** Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES: .....Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

#### 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: ...... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: ...... As recommended by local, state and federal authorities.

## 7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
HANDLING:	freezing. Flammable! Ground and bond all containers when handling. Use non-sparking tools. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

#### **8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**RESPIRATORY PROTECTION:**Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

**PROTECTIVE CLOTHING:.....** Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: ...... Flammable! Ground and bond all containers when handling. Use non-sparking tools. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

INGREDIENT

C.A.S. NUMBER

PEL

Isopropyl Alcohol Polydimethylsiloxane 67-63-0 63148-62-9 400 ppm, 500 ppm STEL No limits established

#### 9 - PHYSICAL / CHEMICAL PROPERITES

**SOLUBILITY IN WATER:** ...... Completely soluble.

## 10 – STABILITY and REACTIVITY

# 11 – TOXICOLOGICAL INFORMATION

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

## ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

# 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

## 14 – TRANSPORTATION INFORMATION

# **15 - REGULATIONS**

# Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

# **16 – OTHER INFORMATION**