### **1 – PRODUCT IDENTIFICATION**

COMPANY:.....Simoniz USA, Inc. 201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE: .....1-800-255-3924 (CHEM-TEL)

#### 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: ....Skin Corrosion (1A) Serious Eye Damage (1) Corrosive to Metals (1) Specific Target Organ Toxicity, Single Exposure; Respiratory Tract Irritation (3)

SYMBOLS: .....



SIGNAL WORD: ...... DANGER! HAZARD STATEMENT: ........... Causes severe skin burns and eye damage. May be corrosive to metals. May cause respiratory irritation.

#### **PRECAUTIONARY STATEMENTS:**

- PREVENTION:..................Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Do not touch eyes. Wear protective gloves / protective clothing / eye protection / face protection. Keep only in original packaging. Avoid breathing dust / fume / gas /mist / vapors / spray. Use only outdoors or in a wellventilated area.

**STORAGE:** ......Store locked up. Store in a corrosion resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.

**DISPOSAL:**.....Dispose of container and contents in accordance with local regulations.

## **3 – COMPOSITION / INFORMATION ON INGREDIENTS**

#### INGREDIENT

C.A.S. NUMBER

Pentasodium Triphosphate Sodium Metasilicate Pentahydrate Sodium Sesquicarbonate Sodium Hydroxide Tetrasodium Pyrophosphate 7758-29-4 10213-79-3 533-96-0 1310-73-2 7722-88-5

If percentages, chemical names or C.A.S. numbers of ingredients are not listed/shown, they are being withheld as trade secret information, or are not required per OSHA Hazard Communication Standard 29CFR 1910.1200. This information will be disclosed as necessary to authorized individuals.

## 4 – FIRST-AID MEASURES

BREATHING (INHALATION):	Maintain adequate ventilation of work area. If signs of discomfort or irritation occur, remove to fresh air. If burns occur or symptoms persist, get immediate medical attention!
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Rinse mouth, then drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. Apply ice compresses and get immediate emergency medical attention by an eye specialist! It may be necessary to bring person to a hospital emergency room.
SKIN (DERMAL):	Immediately remove all contaminated clothing. Flush from skin with large amounts of fresh water for at least 15 minutes. If burs occur or irritation persists, get immediate medical attention! Wash contaminated clothing before reuse.

#### **5 – FIRE-FIGHTING MEASURES**

FLASHPOINT: ..... This product is non-flammable.

EXTINGUISHING MEDIA: ...... Use extinguishing media suitable for materials already burning. SPECIAL FIRE FIGHTING PROCEDURES:......Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: .....None known.

## 6 – ACCIDENTAL RELEASE MEASURES

#### 7 – HANDLING and STORAGE

ATTENTION: Do NOT reuse empty container. Empty containers retain vapor and product residue, which can be dangerous.

#### 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**RESPIRATORY PROTECTION:**Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

**PROTECTIVE CLOTHING:......** Nitrile or PVC gloves, chemical splash goggles, protective outerwear and boots.

ADDITIONAL MEASURES:...... Under normal use according to label instructions, special protection should not be necessary. Wear eye, face and skin protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Pentasodium Triphosphate (PNOR)	7758-29-4	15 mg/m <sup>3</sup> ( <i>Total dust</i> ), 5 mg/m <sup>3</sup> ( <i>Respirable fraction</i> )
Sodium Metasilicate Pentahydrate (PNOR)	6834-92-0	15 mg/m <sup>3</sup> ( <i>Total dust</i> ), 5 mg/m <sup>3</sup> ( <i>Respirable fraction</i> )
Sodium Sesquicarbonate (PNOR)	533-96-0	15 mg/m <sup>3</sup> ( <i>Total dust</i> ), 5 mg/m <sup>3</sup> ( <i>Respirable fraction</i> )
Sodium Hydroxide	1310-73-2	2 mg/m <sup>3</sup>
Tetrasodium Pyrophosphate <i>(PNOR)</i>	7722-88-5	15 mg/m <sup>3</sup> ( <i>Total dust</i> ), 5 mg/m <sup>3</sup> ( <i>Respirable fraction</i> )

\*When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL; ACGIH TLV; and AIHA WEEL values will be shown in that order, and indicated as such. All inert or nuisance dusts not listed specifically will covered by the Particulates Not Otherwise Regulated (PNOR) limit and indicated as such.

## 9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR: ....... White powder. No significant odor. ODOR THRESHOLD: .....N/A pH:.....N/A MELTING POINT: ..... N/A FREEZING POINT: ..... N/A BOILING POINT: ..... N/A BOILING POINT RANGE: ......N/A FLASHPOINT: ...... This product is non-flammable. EVAPORATION RATE: .....N/A FLAMMABILITY (solid/gas):....N/A EXPLOSION LIMITS:.....N/A VAPOR PRESSURE: .....N/A VAPOR DENSITY (AIR=1): ...... Greater than 1. SPECIFIC GRAVITY:.....N/A SOLUBILITY IN WATER: ...... Completely soluble. PARTITION COEFFICIENT: ..... N/A AUTO-IGNITION TEMPERATURE: ......N/A DECOMPOSITION TEMPERATURE: .....N/A VISCOSITY:.....N/A

#### 10 – STABILITY and REACTIVITY

**STABILITY:** ...... Stable under normal conditions.

**INCOMPATIBILITY:**.....Do not mix with acids, strong oxidizing agents, or other chemicals.

HAZARDOUS DECOMPOSITION: .....Carbon Oxides, Sodium Oxides.

HAZARDOUS POLYMERIZATION:.....This product not known to polymerize.

#### **11 – TOXICOLOGICAL INFORMATION**

LISTED CARCINOGEN:	Absorption through eyes and skin. Ingestion. Inhalation. None over 0.1%. AVATED:May aggravate preexisting dermatitis and asthma.
INHALATION:	. Undiluted product can cause irritation, burns or other damage to the mouth, nose and respiratory tract, if inhaled. Prolonged or repeated exposure to undiluted product may cause damage to
INGESTION:	respiratory system. Undiluted product can cause irritation, burns or other damage to the mouth, esophagus and stomach, if ingested. Ingesting large amounts may be harmful to health.
EYES:	. Undiluted product can cause serious irritation, redness, burns, blindness or other permanent damage if not immediately flushed from eyes.
. ,	Undiluted product can cause severe irritation, redness and burns if not immediately flushed from skin.
ACUTE TOXICITY* (ORAL):	>5,000 mg/kg

#### ACUTE TOXICITY\* (DERMAL): ......>5,000 mg/kg ACUTE TOXICITY\* (INHALATION): .....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

## 12 – ECOLOGICAL INFORMATION

### ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

## 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....As recommended by local, state and federal authorities.

## 14 – TRANSPORTATION INFORMATION

DOT:

## 15 – REGULATIONS

Contents of this SDS comply with OSHA Hazard Communication Standard 29CFR 1910.1200.

CALIFORNIA PROPOSITION 65: WARNING: This product can expose you to chemicals including Lead and Lead Compounds, which is known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

PAGE 5 of 6

INGREDIENT	C.A.S. NUMBER	LISTED DATE		
		10/01/1992		
Lead and Lead Compounds		(Cancer)		
		02/27/1987		
		(Developmental, Male Reproductive & Female Reproductive Toxicity)		
16 – OTHER INFORMATION				
NFPA HEALTH:				

**REVISION DATE:**.....04/01/2024