1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Power Shine Pro Tire Dressing 802

PRODUCT TYPE: Silicone Fluid

PRODUCT NUMBER: PSTD802XX (Last 2 characters vary with the packaging

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:.....(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:.... Eye Irritation (2B)

SYMBOLS:....

SIGNAL WORD:......WARNING!

HAZARD STATEMENT:..... Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE:..... IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

STORAGE: N/A DISPOSAL: N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Polydimethylsiloxane
Distillates, petroleum, hydrotreated light
Proprietary

C.A.S. NUMBER

63148-62-9 64742-47-8 Not Given

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): Not likely to irritate. Flush from skin with fresh water and

discontinue use if irritation persists.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING:...... Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if

product is likely to splash.

ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Polydimethylsiloxane	63148-62-9	No limits established
Distillates, petroleum, hydrotreated light	64742-47-8	100 ppm TLV
Proprietary	Not given	No limits established

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Slightly viscous blue transparent liquid. Pleasantly scented		
ODOR THRESHOLD:N/A		
pH: N/A		
MELTING POINT: 210 degrees F.		
FREEZING POINT: N/A		
BOILING POINT: 210 degrees F.		
BOILING POINT RANGE: N/A		
FLASHPOINT:>200 degrees F		
EVAPORATION RATE:N/A		
FLAMMABILITY (solid/gas): N/A		
EXPLOSION LIMITS:N/A		
VAPOR PRESSURE: N/A		
VAPOR DENSITY (AIR=1): Greater than 1.		
SPECIFIC GRAVITY: 0.99		
SOLUBILITY IN WATER: Appreciably soluble.		
PARTITION COEFFICIENT: N/A		
AUTO-IGNITION TEMPERATURE:N/A		
DECOMPOSITION TEMPERATURE:N/A		
VISCOSITY: Slight body		

10 - STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:	OUTE(S) OF ENTRY:Ingestion. Not likely to be inhaled in dangerous amounts.		
LISTED CARCINOGEN:	None over 0.1%.		
MEDICAL CONDITION AGGRAVATED:May aggravate pre-existing dermatitis.			
INHALATION:	Not likely to be inhaled in hazardous amounts. Maintain adequate		
ventilation in the work area.			
INGESTION:	This material can cause irritation to the stomach and esophagus		
if ingested.			
EYES:	May cause eye irritation.		
SKIN (DERMAL):	Not likely to irritate. Prolonged exposure to undiluted product may		
cause irritation.			
ACUTE TOXICITY* (ORAL):	>2000 mg/kg		
ACUTE TOXICITY* (DERMAL):	>2000 mg/kg		
ACUTE TOXCITY* (INHALATIO	DN): >20,000 ppm V (Gas), >20 mg/l (Vapor), >5		
ma/l (Dust)			

^{*}Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

DOT: Not regulated

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1
NFPA FLAMMABILITY: 1
NFPA REACTIVITY: 0
NFPA OTHER: None

ADDITIONAL: The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA

Inventory of Chemical Substances.

REVISION DATE:..... 3/17/21